


# **Stitches Varieties**



# **COVER STITCH**





00000



Triple cover


Wide cover

Narrow Cover

Chain

Creative Top Cover Stitch with one wiper thread. Baby Lock Exclusive






Triple cover





Wide cover






Cover Stitch










Triple cover

Wide cover

Narrow Cover

Chain

### **Features**



**Dual wiper system** 

Baby Lock Exclusive

The innovative dual wiper system provide Baby Lock exclusive and unique top cover stitch.



# **Automatic Needle Thread Delivery System (ATD)**

Primo delivers a balanced stitch on any fabric with any type of thread with no needles tension adjustments.




### ExtraordinAir® Threading

With just a simple press of button, ExtraordinAir® instantly takes thread through the looper. Threading has never been this easy!




#### **Needle Positioning Button**

Needle Positioning Button ensures your needle position stays in place, whether starting and finishing.



# Variable Speed Control

Always stitch at a comfortable pace for the utmost precision.




### **Wider Sewing Space**

Convenience to handle on large projects with a wider sewing space.



### **Knee Lifter**

Raise the presser foot by simply moving the attachable lever with your knee. This leaves both of your hands free for extra control on stitches.



#### **Needle Threading System**

Using the needle threader for quick and easy threading of each needle with just 3 simple steps.



# Magnetic Needle Storage

A magnet plate provides a stable place for needles.



# 1. Needle Thread Fine-Tuning Dial

### 2. Chain/Cover/Looper Tension System

A convenience dial for adjust the tension of the chain/cover stitch looper thread.



**Built-In Accessory Storage** 

Storage of tools such as screwdriver, tweezers, etc.



#### **Safety Device**

Primo can't start sewing with any situations below.

- **1.** Presser foot in up-position.
- 2. Side cover open.
- 3. Front cover open.



#### **Convenient Presser Foot Lever**

An easy-access presser foot lever on the right side of the machine lets you quickly make adjustments.



#### Differential Feed

The Differential Feed System create gathering and stretching effects for different type of fabrics.



# Pure Lighting - 3 LED Lights

Three bright LED lights let you see the stitch, fabrics and threads clearly.





# **Drop Feed System**

When you raise the presser foot, the feed dogs lower automatically which helps thick fabrics fit under the presser foot.

# **Optional Accessories**

Taping/Cording Micro Insert Foot Set (P-6-BL)







Cording foot

# Stitch in the ditch foot

Stitch in the Ditch

(P-3-BL)

Micro Insert Foot Set







Right A-D2-02A

Left A-D2-03A



2.0mm x 2 grooves (Pink) A-D2-06A




1.6mm x 2 grooves (Light Blue) A-D2-07A

Double fold Bias binder





8/30mm: D13-4-08E





Taping foot

Narrow Left 5mm (Green) A-D2-08A



Wide 8mm (Blue) A-D2-09A


Single fold Bias binder

Double fold Bias binder



36mm : B0421S02A

28mm : B0421S03A





Stitch Guide

A-D9-11B



#### Cord Guide


A-D9-12B





# Pintucking foot

B5002-06B-C



# Clear foot

B5002S17A





#### Teflon Flat Sole Foot

Curving foot















28mm : B0421S04A

Single fold Bias binder

40mm : B0421S05A



#### Single downturn feller

25mm: B0421S09A 7mm : B0421S10A



# Plain hemmer





# Fabric guide

B0420S01A






#### Belt loop folder

10mm: B0421S12A 20mm: B0421S11A





#### Lap seam binder







# **Specifications**

# Technology Features

- Dual wiper system
- ExtraordinAir ® Threading
- Automatic Needle Thread Delivery System
- Variable sewing speed control
- Needle positioning button
- Pure Lighting with three LED lights
- Wide workspace of 135mm to right of needle(C3)x 78mm Height
- Full-Featured Differential Feed
- 2 to 1 Ratio gathering
- 3 to 4 Ratio stretching
- Knee lifter

#### Creative Cover Stitch Features

- Top Cover Stitch with Two Wipers (Chain, narrow cover, wide cover, and triple cover stitches)
- Top Cover Stitch with One Wiper (Chain, narrow cover, wide cover, and triple cover stitches)
- Cover Stitch
   (Chain, narrow cover, wide cover, and triple cover stitches)
- Cover stitch width 3mm or 6mm
- Dial adjustable stitch length: 1-4mm
- 1,500 stitches per minute

#### Convenience Features

- Enhanced telescopic antenna with thread guides
- Built-in thread cutter
- Electronic foot control
- Built-in accessory storage
- Needle clamp plate to secure needles
- Carry handle
- Presser Foot Lever on the right
- Needle drop tray with magnet
- Bypass port and guide for special thread
- Household needle system: ELx705CF

# Other

• Weight: 12.2 kgs / 26.8 lbs.

# **Optional Accessories**

<ul><li>Belt Loop Binder (3/4", 19mm)</li><li>Belt Loop Binder (1-1/2", 38mm)</li></ul>		B0421S12A B0421S11A
• Single Fold Bias Binder (1-1/8", 28mm)		B0421S04A
• Single Fold Bias Binder (1-5/8", 40mm)		B0421S05A
• Double Fold Bias Binder (1-1/8", 28mm)		B0421S03A
• Double Fold Bias Binder (1-3/8), 36mm)		B0421S02A
Adjustable tape guide		B0421S01A
• Fabric Guide		B0420S01A / M0-70A09
• Plain Hemmer (1/4", 7.5mm)		B0421S07A
• Plain Hemmer (1/2", 13mm)		B0421S06A
• Single Downturn Feller (1/4", 7.5mm)		B0421S10A
• Single Downturn Feller (5/8", 16mm)		B0421S08A
<ul> <li>Single Downturn Feller (1", 25mm)</li> </ul>		B0421S09A
<ul> <li>Knit/Woven Double Fold Bias Binder (8mm)</li> </ul>		D13-4-08E
<ul> <li>Knit/Woven Double Fold Bias Binder (10mm)</li> </ul>		D13-4-10E
• Knit/Woven Double Fold Bias Binder (12mm)		D13-4-12E
<ul> <li>Knit/Woven Double Fold Bias Binder (15mm)</li> </ul>		D13-4-15E
<ul> <li>Knit/Woven Single Fold Bias Binder (12mm)</li> </ul>		D13-3-12E
<ul> <li>Knit/Woven Single Fold Bias Binder (15mm)</li> </ul>		D13-3-15E
• Lap Seam Binder		B0-75001
• Fabric & Hemming Guide		B0-75A01
Stitch Guide		A-D9-11B
• Teflon Foot*		M2-36A08
• Clear Foot*		B5002S17A
<ul><li>Pintuck Foot w/2 Guides*</li></ul>		B5002-06B-C
Cord Guide		A-D9-12B
<ul> <li>Micro Insert Foot</li> </ul>		
Cording foot 5.0	Omm x1groove (Red) 5mm x2grooves (Yellow)	A-D2-04A A-D2-05A
	Omm x2grooves (Pink)	A-D2-06A
	6mm x2grooves (Light Blue)	A-D2-07A
Taping foot Na	arrow Left 5mm (Green) ide 8mm (Blue)	A-D2-08A A-D2-09A
Stitch in the ditch foot Center		
Stitch in the ditch foo		A-D2-01A A-D2-02A
	Right Left	A-D2-02A A-D2-03A
	Leit	A-DZ-03A

<sup>&</sup>quot;\*Optional Accessories for Standard Shank and Presser Foot."

#### Primo Included Accessories

- Foot control
- Knee lifter
- Machine cover
- Two guide fixing screws for table
- Lint brush/needle insert tool
- Package of assorted sized needles
- Allen screwdriver
- Tweezers

- Stitch guide fixing screw
- Two Spool pin disk
- Looper threading tool
- Screwdriver
- Four thread nets
- Four spool caps
- Four sponge disks
- Four cone holders

# **WARRANTY**

Baby Lock machines made in Japan are renowned for their build quality and durability, giving us the confidence to offer you the following conditional warranties:

10 year Mechanical warranty

2 year Electrical warranty

2 year Electronic warranty

The warranty covers Manufacturing defects.